



District 2 Public Health

Zachary Taylor, M.D., M.S., Health Director

1280 Athens Street • Gainesville, Georgia 30507

PH: 770-535-5743 • FAX: 770-535-5958 • www.phdistrict2.org

Banks, Dawson, Forsyth, Franklin, Habersham, Hall, Hart, Lumpkin, Rabun, Stephens, Towns, Union and White Counties

01/2/2026


District 2 Public Health- Epidemiology Department

Phone: 770-535-5864 Fax: 770-535-5848

Web: <https://phdistrict2.org/epidemiology/>

Viral Respiratory Diseases Surveillance

Pan-Respiratory Virus Surveillance (Georgia - Last Updated week of 01/17/2026)




The graph above shows the percentage of emergency department visits that are for symptoms or diagnoses of COVID-19, RSV, Flu, and all three combined. The data gives us an early indication of trends in respiratory illnesses in the community and potential burden on emergency departments in GA. As of 01/17/2025 graph shows decreasing levels of influenza and all respiratory illnesses combined compared to same time last year/ ILI season 2024-25.

Georgia Flu Surveillance Update: Week 3 (Ending January 24, 2026)


As of Week 2, Georgia flu activity was **high** (9 on the scale of 1-13). Activity levels are based on the percent of outpatient visits in Georgia due to influenza-like illness (ILI) during this timeframe.

For the corresponding week, the percentage of outpatient visits for influenza-like illness was 4.8% (which is above the regional baseline of 3.4%), the number of influenza-associated deaths was 2 (124 total for the current ILI season- October 2025 to present); the number of Metro Area Influenza Hospitalizations was 66 (2,878 total for current flu season); and the number of influenza outbreaks was 10 (119 total for current flu season).




The map shows influenza-like cases in the southern US region. Georgia activity indicator level is at 9 (**high**) on week 3, as shown in orange above.

ILI (Influenza-like Illness) Percentages by Season




The graph shows a snapshot of flu in Georgia compared to previous years. Graph currently shows slight increase in ILI percentage during week 3 compared to previous week 2 in current ILI season (2025-26- red line). Percentage of ILI visits for week 3 is higher when compared to same time in 2021-22 and 2022-23; and lower than same time in 2023-24 and 2024-25.

ILI (Influenza-like Illness) Percentages by Age



Above: For week 3, the graph shows decrease in number of visits for ILI cases for age groups 25-49, 50-64 and 65. On the other hand the graph shows increase in ILI visits for 00-04 and 05-24.

Influenza Positive Tests Reported to CDC by Clinical Laboratories, HHS Region 4, 2025-26 Season, week ending 01/24/2026



Above: Graph shows influenza tests reported to CDC in HHS Region 4 (which includes Georgia) week ending 01/17/2026: Total A 10931 (% positive for Flu A 15.7066), total B 1625 (% positive for Flu B 2.33494), percent positive (18.0415) shown in black line on graph.

COVID-19 Snapshot (01/10/2026)*

Early Indicators and Hospitalizations for COVID-19 in the United States:




Figure 1- Percent Test Positivity – 5.2%




Figure 2: Percent ED Visits Diagnosed as COVID-19 – 0.8%





Figure 3: Hospitalization Rate per 100,000 Population- 1.1%

*Last updated 01/10/2026 due to lapse in government funding.

Figure 1 (percent test positivity) and Figure 2 (percentage of total emergency department visits due to COVID-19) represent the current impact of COVID-19 on communities across the United States. These metrics act as early indicators of potential increases in COVID-19 activity. Figure 3 (hospitalization rate per 100,000 people) assesses severity and disease burden of COVID-19. For the period of 12/21/2025- 01/17/2025, the SARS-CoV-2 subvariant Omicron XFG was responsible for 53% of all cases in the U.S., followed by the subvariant XFG.14.1 with 16%.

Respiratory Syncytial Virus Infection (RSV) Surveillance

Data from NREVSS are also analyzed to measure RSV seasonality. Antigen and polymerase chain reaction (PCR) tests are analyzed separately to determine the start and end of RSV season. Season onset is defined as the first week of two consecutive weeks when the percent positive of ALL laboratory confirmed tests are greater than or equal a certain threshold. The end is defined as the first week of two consecutive weeks when the percent positive of ALL lab confirmed tests are less than a certain threshold. For antigen-based testing, the threshold is 10% and for PCR the threshold is 3%. During week 2 (as of 01/24/2026), clinical laboratories in Georgia reported testing 2,641 (8.7% positive) antigen specimens and 1,163 (7.3% positive) PCR specimens.



Graph shows 1,163 (7.3%) PCR detections for RSV positive polymerase chain reaction (PCR) tests reported by clinical laboratories for week 2 ILI reporting.

Getting vaccinated is the best thing you can do to protect yourself and others.

District 2 health departments have vaccines available. Please contact your local health department for information on how to get your vaccine at http://phdistrict2.org/?page_id=597.

To learn more about how to protect yourself against flu and other respiratory diseases, visit DPH website at

<https://dph.georgia.gov/epidemiology/acute-disease-epidemiology/viral-respiratory-diseases> and CDC website at

<https://www.cdc.gov/flu/>

All Georgia physicians, laboratories, and other health care providers are required by law to report notifiable diseases. Instructions, including notifiable conditions and the timeframe in which they are reportable can be found at <https://dph.georgia.gov/epidemiology/disease-reporting>. Georgia tracks the listed conditions statewide using multiple overlapping surveillance systems, especially in the case of viral respiratory diseases as some are not reportable at the individual case level.